

SECURON® 540 -

HIGHLY EFFECTIVE SEQUESTRANT AND DISPERSING AGENT

BENEFITS FOR THE PRETREATMENT PROCESS

- Outstanding chelating properties for light and heavy metals
- Prevents hard soap and silicate build up on equipment and bleached cotton
- Improves the absorbency and whiteness of bleached cotton
- Free rinsing
- Reduces foaming and ash content of medical cotton
- Helps prevent the corrosion of equipment

Recommended use levels for desizing, scouring, and bleaching: 1.0 -3.0 g/l SECURON® 540

BENEFITS FOR THE DYEING PROCESS

- Prevents shade problems in dyeing and printing
- Cleaner and brighter shades
- Improves crock fastness
- Minimizes build-up of indigo dyes on equipment
- · Non-foaming

Recommended use levels for dyeing: 0.15 -1.0 g/l SECURON® 540

BENEFITS IN PREPARATION FOR FINISHING

• Scouring with Securon 540 prior to finishing typically improves the water and oil repellency up to one rating unit

Recommended use levels for scouring: 1.0 – 2.0 g/l SECURON® 540


APPLICATION:



WITHOUT SECURON® 540

WITH SECURON° 540

END USE:



Like to find out more?

info@pulcrachem.com www.pulcra-chemicals.com

Pulcra Chemicals GmbH

Isardamm 79-83 82538 Geretsried Germany

Phone: +49 8171 628 0

Edition: January 2019

